

AQUA 1K



PRIME

-  HIGH COVERAGE
-  BEST PERFORMANCE
-  UNLIMITED COLOR COLLECTION



BASIC PRIME

Basic Prime is a single-component water-based as our offering for pure-white wood primers, providing high covering power and fast drying times with only the highest quality to spare.

Viron has constantly strived to galvanize the industry with the manufacture and sale of water-based coating systems, prioritizing environmental sustainability and eco-friendliness above our competition.

We are confident that Basic Prime is the most versatile and multi-use primer on the market. It provides a smooth finish to doors and paneling that is second to none at this price range, and is applicable via manual/auto-spray, profiles, and paneling.



Basic Prime is semi-finished product and recoating process is required. Viron advises against the direct application of the required top coat over a Basic Prime white-treated surface alone: this is an incomplete application of the Basic Prime system, and may drastically affect the levelling of the final outcome.

RECOMMENDATION



Apply 1-2 layer additional coats of regular primer (or colored base coat) above the initial Basic Prime layer, before adding a suitable hiding top coat / colored top coat.

Recoat Manual/Auto Spray :
80-100 gr/m² (prime/colored base coat)
80-100 gr/m² (hiding/colored top coat)

PLUS VALUE



LINE LAYOUT



PREMIUM PRIME



Premium Prime is our premium offering for high-quality wood finishing, guaranteed to provide the utmost combination of maximum coverage and long-lasting. Premium Prime is a single-component that designed chiefly for indoor use, and may be applied on conventional wooden surfaces using manual/auto-spray technology, combined with roller systems to produce even and consistent results.

Premium Prime offers a vibrant range of colors to enhance beauty and elevate any space with a flawless finish

Premium Prime is a finished product and doesn't require an additional topcoat. A complete finish in a single application with bonds effectively to various surfaces, delivers a flawless, and professional look

RECOMMENDATION

Premium Prime is finished product, and recoating process is not required, but if any requirement for change the sheen level and color, apply 1x hiding top coat/ colored top coat (manual/auto spray).

Recoat Manual/Auto Spray :

80-100 gr/m² (hiding/colored top coat)

Sheen Level :

Matte (10 unit), Satin (20-35 unit)




PLUS VALUE




LINE LAYOUT

UV ROLLER



AUTO SPRAY



MANUAL SPRAY

Through our innovative **3R** technology, scratches and chips on a **PREMIUM PRIME** treated surface can be easily **REPAIRED**, **RETOUCHED**, or **RECOATED**. **PREMIUM PRIME** is also applicable via manual spray, allowing for do-it-yourself, on-site repairs.



PRODUCT PERFORMANCE

TYPE	HIGH COVERAGE	GOOD ADHESION	SMOOTH SURFACE	NO ODOR	EASY REPAIR
PREMIUM PRIME 	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★

APPLICATION PROCESS



01. PREPARATION

Light sanding and clean the surface from any dust and dirt




02. PAINT

Dilute with 5-10% water for spray application. Apply 1-2 layers of Premium Prime directly onto the surface using a manual spray gun, with a recommended application rate of 120-140 g/m² per layer.



03. DRYING

Drying time 1-2 hours.



COLOR COLECTION



COOL GREY



Light Grey



Dark Grey Pantone 2333C



Stormy Weather



Papaya Pantone 15-1243




Classic Blue Pantone 4143C



Celestial Pantone 7468C



Pastel Green Pantone 6176C



Light Blue



Orange



Tomato RAL 3011



Turquoise Pantone 6142C



Burn Brick Pantone 4054C



Peach Powder Pantone 7513C



Blue Pantone 072 C



Simply Purple Pantone 18-3940 TH

PT. JMW VIRON INDONESIA



Jl. Gatot Subroto Blok 11C, No. 3A,
Kawasan Industri Candi, Semarang, Indonesia



+62 811-8108-990
+62 811-2788-996



application.service@jmw-vironcoatings.com



www.vironcoating.com



www.vironcoating.com